

Index*

A

Abispa splendida, venom agonists, amines, 217, 310, 311

Abortive stinging pattern, 118

Acetylcholine

in bee venom, 418

in wasp venom, 217, 218, 221

Acid phosphatase

allergens, 522

Acid phosphomonoesterase

in bee venom, 335, 337, 347, 348

isoelectric point, 347

molecular weight, 347

Acromyrmex, trail pheromones, 462, 464

Aculeata, 171, 612

stinging apparatus, 17, 18

family tree, 428

Adolapin, 393

Adrenaline, 518

Aenoplex carpocapsae—E, 69, 73, 166

Agenia intermedia—E, 85

subcorticalis—E, 174, 219

variegata—S, E, 85, 91, 174, 219

Ageniella banoensis—S, 86

conflicta—S, 86

partita—E, 86

Agenioideus apicalis, 213

cinctellus—E, 86, 174, 213

coronatus—E, 212

haematopus—E, 86

humilis—S, E, 86, 92, 174

nubecula—E, 86, 213

sericeus—E, 86

ursuarius—E, 212

Aggregation pheromones, 440

Alarm pheromones, 57–59, 440, 468

Alarm releasers, see Alarm pheromone

Alastor atropos—E, 133

Allogenicity, 484–488

Allomone, 469, 470

Alkaline gland, see Dufours gland

Allepyris microneurus—S, E, 77, 171

All ganglia hypothesis, see Stinging behaviour

Alysia manducator, inducing pupation, 234
—E, 67, 68, 166

Alysson conicus—E, 109

melleus—E, 109, 179, 221

Amblyellus robusta—E, 174

Amblyopone pallipes—E, 480

venom, offense, 432

pluto

venom, offense, 432

Amblyteles subfuscus, oviposition, 69

γ -Aminobutyrate, 255

Ammatomus moneduloides—E, 179

Ammobia ichneumoneta—E, 179

pennsylvanica—E, 7, 179

Ammophila sp.—S, E, 8, 98, 126, 127

Ammophila aberti—S, E, 98

aemulans—E, 179

azteca—E, 179

breviceps—S, E, 98

campestris—S, E, 98, 179, 231

local paralysis, 220

dives—E, 179

dysmica—S, 98

haimatosoma—S, E, 98, 179

heydeni—S, E, 98, 138, 179

hirsuta—E, 179

holocericea—E, 98

laevicollis—E, 179

nigricans—E, 98

parkeri—E, 98, 179

pictipennis—S, 99

placida, see *A. zanthoptera*

polita—E, 179

procera—S, E, 99, 179

pubescens—S, 99

*E = Effects; S = stinging procedure.

- Ammophila aberti*—S, E, (continued)
rufipes—E, 179
 —S, 99
sabulosa—S, E, 99, 179
 venom gland, 22
tydei—E, 179
urnaria—S, E, 99, 179
wrightii—S, E, 99
zanthoptera—S, 99
- Ammoplanus perrisi*—S, E, 100
- Ampulex assimilis*—S, E, 94, 117, 180
 deactivation, 237
canaliculatis—S, E, 94, 180, 237
 resting, 94, 117
compressa
 cutting antennae, 237, 238
 oviposition, 240
 prey manipulation, 237–241
 S, E, (deactivation), 6, 116, 117, 180,
 237–241
 venom collection, 52
 venom gland, 34
 venom organ, 23
compressiventris, see *A. sibirica*
sibirica—E, 180
 deactivation, 237
sonnerati—E, 180
 deactivation, 237
- Ampulicinae, 93, 94
- A-MTX, see *Microbracon toxin*
- Anabaseine, 470
- Anacrabro ocellatus*—E, 106
- Anaphylaxis, 343, 417, 514, 518, 521
- Anaphylactic shock, 514
- Ancistrocerus antilope*—S, E, 130, 132
capra—E, 132
fulvipes—E, 132, 191
tardinotus—E, 191
- Ancistroma distincta*—E, 102
- Andrena pilipes*, venom gland, 22
- Andrenidae, 13
- Aneuretinae, 429, 430
- Anisoctenion alacer*, site specificity egg lay-
 ing, 69, 72
- Angioedema, 496, 530
- Angiotensin, 219
- Anoplius*—S, E, 87
- Anoplius americanus*—E, 87, 213
amethystinus—E, 87, 213
apiculatus—S, E, 87, 92, 174, 213
biguttatus—E, 213, see also *Pompilus*
biguttatus
carolinus—E, 87, 174
chalybeatus—S, E, 87, 174
cleora—E, 87, 174, 213
concinus—E, 174
 —S, 87, 92
cylindricus—S, 87
depressipes—S, 87
dispar—S, E, 87, 174
ferrugineus—E, 87
fraternus—E, 174
fuscus—E, 88
illinoensis—E, 87, 174
imbellis—E, 174, 213
infuscatus, venom agonists, 216
ithaca—E, 87, 174
krombeini—E, 87, 174, 213
marginalis—S, E, 87, 174
marginatus—E, 87, 174, 213
nigerrimus—E, 174
papago—E, 174
relativus—E, 175
samariensis, venom agonists, 216, 219
 —E, 175
semirufus—E, 87, 175, 213
subcylindricus—S, E, 87, 175
tenebrosus—E, 87
ventralis—E, 175, 213
viaticus, venom agonists, 216
 —E, 87, 92, 175, 213, 215
 time course paralysis, 220
virginensis—E, 87, 175, 213
- Anospilus barbūlabris*—E, 175, 212
orbitalis—E, 212
- Anthophoridae, algogenicity, 486
- Anticomplement activity, 493
- Antigen 5, 323, 523
 molecular weight, 523
- Anxiety, 529, 530
- Apamin, 334, 337, 369–382
 analogues, 373, 375, 376
 β -adrenergic effects, 374
 α -adrenergic effects, 377
 convulsions, 378
 —E, on ATP inhibition, 377
 —E, on potassium permeability, 379
 E, skeletal muscle, 369
 LD₅₀, 377
 molecular weight, 369

- purification, 370
 structure, 370, 371
Apanteles—*S, E*, 67, 68
 epinotiae—*E*, 166
 glomeratus—*E*, 167, 196
 medicaginis—*E*, 167
Aphelinus jucundus—*E*, 69, 73, 170
 variation in paralysis, 69, 73
 semiflavus—*E*, 170
 stinging in leg, 198
Aphelopus—*E*, 171
Aphenogaster fulva, allomone, 470
 tennesseensis, allomone, 470
 Aphidiidae, 68, 72
Aphidius platensis—*E*, 233
 testaceipes—*E*, 167
Aphilanthops frigidus—*E*, 113, 180, 213
Aphytis chrysomphali—*S*, 69
 Apidae, 13, 417, 427, 428
 allogenicity, 486
 Apinae, 417
Apis, 4, 330, 351
Apis cerana, melittin, 351
 dorsata, venom collection, 54
 melittin, 351
 florea, melittin, 351
 indica, see *Apis cerana mellifera*
 alarm pheromone, 57–59
 allogenicity, 486
 composition of venom, see also Bee
 venom, 309–416, 337
 LD₅₀, 438, 482
 electric milking, 53
 sting, 19, 20
 venom gland, 22
 venom organ extract, 48
 venom reservoir, 26
 mellifera adansonii, 1
 Apocrita, 4, 12, 13
 venom organ, 18, 20
Apoica pallens, LD₅₀, 482
 allogenicity, 486
 Apoidea, 13
 sting organ, 18, 19, 20
Aporinellus fasciatus—*E*, 90, 175
 sexmaculatus—*E*, 175, 213
Aporus fasciatus—*E*, 86, 175, 213
 variable paralysis, 91
Apterostigma collare, trail pheromones, 462
Arachnoproctonus, see also *Anoplius*
Arachnoproctonus apiculatus, sting places
 ferrugineus—*E*, 175
Argogorytes campestris, see *A. mystaceus*
 mystaceus—*S*, 109
 Aspartate, 444
Astata bicolor—*S, E*, 100, 180
 boops, venom gland, 22, 180
 —*S, E*, 100, 195
 immigrans, see *Dryudella immigrans*
 occidentalis—*E*, 100, 180, 196
 picea—*E*, 180
 unicolor—*E*, 100, 180
 Asthma, 514, 516, 530
Asympiesella—*E*, 69
 host killing, 69, 75
 Atopy, 514
Atta, trail pheromone, 461–463
 cephalotus, trail pheromone, 464
 octospinosus, trail pheromone, 464
 sexdens, trail pheromone, 463, 464
 texana, trail pheromone, 462–464
 Attractant pheromones, 440
Auplopus, see also *Pseudogenia*
Auplopus albifrons—*E*, 85
 architectus—*E*, 175
 caeruleus—*E*, 175
 carbonarius—*E*, 86, see also *Pseudogenia carbonarius*
 mellipes—*E*, 86
 nigrellus—*E*, 86, 175
 Avoidance, of stings, 533

B

- Bactericidal action, of ant venom, 492
 Barbatolysin, 477
Bassus acrobasis—*E*, 167
Batozonellus annulatus—*S, E*, 90, 175
 venom agonists, 216
 laccerticida, prey of, 164, 175
 venom agonists, 216
 maculifrons—*E*, 90, 175
Batozonus bioculatus—*S*, 90
 Bee Unit (BU), *Philanthus* venom, 50
 Bee venom (honey-bee), 309–416
 acid phosphomonoesterase, 335, 337,
 369–382
 adolapin, 393

Bee venom (honey-bee), (*continued*)

- anaphylactogenicity, 343
- anti-inflammatory activity, 393
- apamin, 334, 337, 369–382
- catecholamines, 332, 337
- composition, 337
- dopamine, 337
- α -glucosidase, 335, 337, 348
- histamine, 337
- hyaluronidase, 332, 335, 337, 343–347
- lysophospholipase, 335, 337, 348, 349
- MCD peptide, 334–337
- melittin, 332, 333, 337, 349–369
- noradrenaline, 337
- odour, 333
- peptide, 401, *see* MDC-peptide
- phospholipase A₂, 332, 335–343
- procaine, 337
- protease inhibitors, 337
- proteinases, 332
- purification, 334, 335
- queen bees, 331–333
- secapin, 337
- taste, 333
- tertiapin, 337
- Belomicrus borealis*—S, 105
- Bembecinus*
 - cingulatus*—S, 110
 - neglectus*—E, 110, 180
 - tridens*—E, 110, 180
- Bembidula variegata*—E, 181
- Bembix americana*—S, E, 111
 - belfragei*—S, 111, 180
 - brullei*—S, E, 111, 180, 221
 - chilensis*—E, 181
 - cinera*—E, 111
 - handlirschi*—E, 111
 - integra*—S, E, 111, 181
 - multipictata*—S, 111
 - musca*—E, 181
 - niponica*—S, E, 111
 - nubilipennis*—E, 111
 - oculata*—E, 181
 - S, 111
 - olivacea*—E, 111
 - rostrata*—S, E, 8, 111, 181
 - venom agonists, 216, 221
 - spinola*—E, 181
 - stenebdoma*—E, 181
 - trogodytes*—E, 111
 - tuberculiventris*—E, 181

- vidua*, *see* *B. rostrata*
- zonata*—E, 181
- Bethylidae, 13, 75, 77, 171, 214, 427
 - painful sting, 64, 75
- Bethylloidea, 13, 75, 171, 214
 - sting organ, 18
- Bethylus cephalotus*—E, 77
- Bicyrtes fodiens*—E, 110, 181
 - quadrifasciata*—E, 110, 181
 - variegata*—E, 110
 - ventralis*—E, 181
- B-MTX, *see* *Microbracon* toxin
- Bombolitins, structures, 421
 - haemolysis, 421
 - histamine release, 421
- Bombus*, allergens, 522
- Bombus atratus*, proteins, 418
 - huntii*, proteins, 418
 - ignitus*, polyamines, 418
 - impatiens*, LD₅₀, 417, 482
 - lapidarius*, slow-contracting substance, 418
 - muscorum*, venom gland, 22
 - occidentalis*, proteins, 418
 - sonorus*, algogenicity, 486
 - terrestris*, cardiac stimulation, 417
 - acetylcholine, 418
 - anaphylactic shock, 417
 - slow-contracting substance, 418, 419, 420
 - venom collection, 52
- Bothynostethus distinctus*—E, 181
- Bothroponera*, *see* *Pachycondyla*
- Botulinum* toxin, 265
- Brachymeris curvitaris*—E, 181
 - luteicollis*—E, 181
- Brachyneria fonscolombeii*—E, 170
- Bracon, venom reservoir, 24, *see also*
 - Microbracon
- Braconidae, 13, 67, 68, 166
 - ovipositor chemoreception, 19
- Bradykinin, in wasp venom, 216–218
- Bradynobaenidae, 427
- Bull ants, 429
- Bumble-bees, 417–422, *see also* (*Mega*)
 - Bombus*
- Burning sensation, 527

C

- Calicurgus annulatus*—S, E, 83, 175
- hyalinatus*—S, E, 175

- Calliephialtes grapholitica*—E, 166
 Camphene, 468
Campolepis perdistinctus, alkaline gland, 165
 Camponotus, synthesis formic acid, 443, 444
Camponotus pennsylvanicus, venom gland, 22, 26
Campsomeris, venom organ, 31
Campsomeris annulata—E, 172
 aureicollis—E, 172
 dorsata—E, 172
 formosana—E, 172
 javana—S, E, 82, 172
 marginella—E, , 172
 pulchrivestigata—S, E, 82, 172
 radula—S, E, 82
 sexmaculata—S, E, 82
 cascade technique, 218
 effects on smooth muscle, 218, 219
 venom agonists, 215, 216, 218
 tasmaniensis—E, 172
 villosa, venom agonists, 215, 216
 Carbon dioxide immobilization, 51
Cardiochilis, venom reservoir, 24
Cardiochilis nigriceps, growth regulation, 234
 Cardiopep, 374
 Carpenter bees, *see* *Xylocopa*
 Carpenter ants, 429
 Catecholamines, 332, 401
 release, 310
Cedria brunneri—E, 197
 paradoxa—E, 67, 167, 197
 —S, 68
Centris pallida, algogenicity, 486
Cephalonica gallicola—E, 214
Cephalonomia formiciformis—E, 77
 tarsalis—E, 77, 171
 waterstoni—E, 171
Cerapachys augustae—E, 479, 480
 venom offense, 432
 turneri, venom offense, 432
 —E, 479–480
 trail pheromones, 462
Cerceris—S, 64
 angularis—E, 113
 arenaria—S, E, 113, 181
 venom organ, 22
 venom agonists, 216, 221
 auritus—E, 181
 bicornuta, 113, *see also* *C. fidelis*
 blakei—E, 181
 bupresticida—E, 8, 181
 californica—S, E, 113, 181
 chilensis—S, E, 113, 181
 clypeata—E, 182
 deserta—E, 182
 emarginata—S, E, 113, 182, 221
 fidelis—E, 113
 finitima—E, 113, 182
 flavofasciata—E, 113
 frontata—E, 113
 fumipennis—E, 113, 182
 gayi—S, E, 113, 182
 hortivaga—S, E, 114, 182
 intrica, *see* *C. simplex*
 nigrescens—E, 182, 195
 ornata—E, 182, *see also* *C. simplex*
 quadrifasciata—E, 114, 182
 —E, gut, 249
 quinquefasciata—E, 182
 raui—E, 182, 213
 —E, gut, 249
 robertsonii—E, 114
 rubida—E, 114, 182
 rufinoda—E, 114, 182
 rybyensis—S, E, 114, 182
 sabulosa, *see* *C. emarginata*
 serripes—E, 182
 simplex—E, 114, 182
 tuberculata—E, 8, 182
 —E, gut, 249
 —S, 114
 Ceropalinae, 90, 92
Ceropalus maculata—E, 175
 Chalcididae, 13, 69, 73
 Chalcidoidea, 13, 69, 73, 170, 198
 sting organ, 18, 20
Chelonus, venom reservoir, 24
 Chemotactic factors, 521
 Chemotactic peptides, in wasp venom, 317–320
 amphipathic helix, 318
 E, 318, 319
 structure, 318, 319
 Chemotaxis, 310
Cheipachys colon—E, 69
Chilosiphex argyrius—E, 96
Chlorion aerarium—S, E, 94
 atratum—E, 182
 aurentulus—E, S, 94, 182
 auripes—E, 182, 213

- Chlorion aerarium*—S, E, (continued)
caerulum—S, E, 94, 182
 throat sting, 122
ichneumoneum—E, 183
laeviventrus—E, 183
lobatum—S, E, 94, 121, 125
maxillosum—S, E, 94, 122
xanthocerus, see *C. maxillosum*
- Chrysididae, 12, 13, 76, 77, 172, 214
 stinging apparatus, 17
- Chrysis shanghaiensis*—S, E, 76, 77, 172, 214
 inhibition of pupation, 76
- Cirrospilus vittatus*—E, 170
- Citronellal ants, 429
- Cleptinae, 78
- Cleptes fudsi*—S, 78, 79
- Clinocentrus gracilipes*—E, 167
 effect on pupation, 234
- Clitemnestra chilensis*—E, S, 109
gayi—S, E, 109
- Clypeadon evansi*—S, E, 113, 183
latynctus—E, 183
- Coccophagus basalis*, oviposition, 69, 73
gurneyi—E, 170
saintebeauvi, oviposition, 69, 73
- Coccygomimus turionella*, spastic paralysis, 196
- Coelocrabro ambiguus*—E, 183
- Coeloides*, venom reservoir, 24
brunneri—E, 167
 —E, heartbeat, 248
dendroctoni—E, 68, 167
pissodis—E, 68
- Colastes braconius*—E, 167
- Colletidae, 13
- Complete four stinging pattern (C4SP), 118, 119, 120, 122, 124, 126
- Complete six stinging pattern (C6SP), 126
- Compound 48/80, 382, 383
- Cosila chilensis*—E, 172
- Crabro argusinus*—E, 107
brevinodus—E, 183
brevis—E, 106, 183
cephalotus, venom organ, 22
cingulatus—E, 107
claudii—E, 183
crassinodus—E, 183
cribrarius—S, E, 107
davidseni—E, 183
gayi—E, 183
interruptus—E, 183
longinodus—E, 183
peltarius—S, E, 107, 183
rufotaeniatus—E, 183
sexmaculatus—E, 184
- Crabrolin, from *Vespa crabro*, 319, 320, 422
- Crabroninae, 105
- Cramps, 529
- Cratolarra pitamawa*—E, 184
 deactivation, 236
- Crematogaster*, glue production, 436
- Cosmophurus henschelli*—E, 68
- Crossocerus ambiguus*—S, E, 107
annulipes, see *C. ambiguus*
carbonarius—E, 107
elongatulus—E, 107, 184
nigritus—S, E, 107
pubescens, see *C. nigritus*
quadrimaculatus—E, 107
sexmaculatus—E, 107
vagabundus—E, 107
- Cross-reactivity (allergens), 524–526
- Crura, see sting
- Cryptocheilus affinis*—S, E, 83, 84, 175, 213
annulatus, see *Calicurgus*
comparatus—E, 175
decemguttatus—E, 175
distinctus—E, 84, 175
hyalinatus, see *Calicurgus hyalinatus*
notatus, 84
octomaculatus, 84
rubellus—E, 175
scurra, see *C. sexpunctata*
sexpunctata—S, 84
variegatus—S, 84
- Ctenostegus murrumbidgee*—E, 175
- Cuticular lining, 26, 27, 31, 32
- Cynipidae, 13
- Cynipoidea, 13, 170, 198
 sting organ, 18, 20
- Cyphomyrmex rimosus*, trail pheromones, 462
- Cyphononyx castaneus*—E, 175
rimosus, trail pheromones
- Cytolysis, 310

D

Dahlbomia atra, see *Psen ater*

- Dahlbominus fuscipennis*—E, 170
Dasymutilla klugii, LD₅₀, 438, 482
 allogenicity, 486
 lepeletierii, allogenicity, 486
 Deactivation, 122, 236–241
 Death, by sting Hymenoptera, 510–515
Decamorium uelense, venom, offense, 432
Delta bonelli—S, 132
 emarginatum—S, 132
 fenestrale—S, 133
 Desensitization, against venom allergy, 518
Deuteraenia hircana—E, 175
Diachasma tryoni—E, 167
Diadasia rinconis, allogenicity, 486
 LD₅₀, 438
Diamma bicolor—E, 172, 215
 venom agonists, 215, 216
 venom organ, 22
 Diarrhea, 529
Diastrophus, pores in ovipositor, 20
Diaulinus—E, 69
Diaulinus, host killing, 69, 75
Dibrachoides dynastes—S, 69, 73, 75
Dibrachys clisiocampae—E, 69, 73
Di cladocerus—E, 170
Dicyrtomellus luctuosus—E, 175, 212
Dielis annulata—E, 172
 luctuosa—E, 173
 thoracica—E, 173
 Dihydroactenidiolide, 471
Dinetus pictus—E, 100
Dinoponera grandis, allogenicity, 487
 enzymes, 473, 474, 476
 haemolytic activity, 489
 LD₅₀, 438, 483
 neurotoxic activity, 489
 noisome taste, 437
Diodontus americanus—E, 184
 —S, 99
 metathoracicus—E, 99
Diploplectron peglowi—E, 184
Diplorhoptrum, 446, 453–455
Dipogon brevis—E, 85, 176
 papago—E, 85, 176
 pulchriplumis—E, 85
 sayi—E, 85, 176
 variegata—E, 176
Discoelius zonalis—E, 192
 japonicus—E, 133
Diversinervus elegans, oviposition, 69, 73
 Dolichoderinae, 429
 venom components, 430
Dolichovespula arenaria, active amines, 310,
 311
 allergens, 522, 525
 antigen 5, 323
 maculata
 active amines, 310, 311
 allogenicity, 486
 allergens, 522, 525
 LD₅₀, 482
 media, active amines, 310, 311
 saxonia, active amines, 310, 311
Dolichurus bicolor—E, 184
 corniculatus—S, E, 94, 184
 haemorrhous—E, 94, 184
 deactivation, 237
 stantoni—S, E, 94, 184
 deactivation, 236
 Doom, 529
 Dopamine
 in bee venom, 401
 in social wasp venom, 311
Doplorhoptrum, see *Solenopsis*
Doryctes, venom reservoir, 24
 Dorylinae, 429, 430
 Driver ants, 429
 Dryinidae, 12, 13, 79
 —E, 78, 171, 214
 —stinging apparatus, 17
Dryudella immigrans—S, E, 100
 picta—S, 100
 Ductus venatus, 23
 Dufours gland, 11, 20, 23, 433, 440
 glue, froth, 436
- E**
- Eciton burchelli*
 allogenicity, 487
 enzymes, 474–476
 haemolytic activity, 489
 LD₅₀, 458, 483
 neurotoxic activity, 489
 Ecitoninae, 429
 venom components, 430
Ectatomma quadridens
 allogenicity, 487
 enzymes, 474–476
 haemolytic activity, 489

- Ectatomma quadridens* (continued)
 LD₅₀, 438
 neurotoxic activity, 489
tuberculatum
 enzymes, 474, 476
 haemolytic activity, 489
 LD₅₀, 483
 neurotoxic activity, 489
 noisome taste, 437
- Ectemnius cavifrons*—S, 107
cephalotes—E, 107
chrysostomus, see *E. lapidarius*
continuus—E, 108
crassicornis—S, 108
discrepans—S, 108
interruptus, see *E. cephalotes*
laevigatus—E, 108
lapidarius—S, E, 108
nigrifrons—S, 108
pauchimaculatus—E, 108
rubicola—S, E, 108
ruficornis, see *E. nigrifrons*
stirpicola—E, 108
- Ectoparasitic wasps, 164
 Edema, 309
Elachertus—S, E, 69
affinis—E, 69
cacoeciae—E, 75, 170
Elaphroptera atra—E, 173
dimidiata—E, 173
erythryra—E, 173
herbsti—E, 173
Elaphrosyron socius—E, 176
 Elasmidae, 13
Elasmus claripennis—E, 170
hispidarum—E, 69, 170
 —S, 69
nephantidis—S, 69
Elis annulata—E, 173
sexmaculata, see *Campsomeris sexmaculata*
- Embedding technique, 17
Emphytus tibialis, venom gland, 22
 Encyrtidae, 13, 69, 73
Encyrtus, oviposition, 69
 Endoplasmic reticulum, 28
Entomognathus brevis, see *Crabro brevis*
memoralis—E, 106
 Entomophaga, 12
 Entomophobia, 517
Epartiothynnus opaciventris—E, 173
Ephialtes extensor—E, 166
ruficollis—E, 166
Epinephrine, see Adrenaline
Episyron biguttatus—E, 86, 176
posterus—E, 86
quinquenotatus—E, 86, 176
rufipes—E, 176, 230
 venom agonists, 216, 219
snowi—E, 87
tripunctatus—S, 87, 92
Epypris extraneus—S, E, 75, 77, 171
Eremnophila aureonotata—S, 98
Eremochaeres dives—S, 98
 Erythema, 309, 530
Eucerceris bitruncata, see *E. triciliata*
ruficeps—E, 114
triciliata—E, 114
 Eulophidae, 13, 69, 73
Eulophus larvarum, prevents apolysis, 234
longulus—E, 170
viridulus—S, 69
 —E, 69, 75, 170
Eumenes arbustorum—E, 192
arcuatus, venom agonists, amines, 217, 310, 311
conica—E, 192
curvatus—E, 133, 192
latreilli, venom agonist, amines, 217, 310, 311
pomiformis—E, 133, 192
tinctor, sting wounds, 130
 —E, 133, 192
 Eumenidae, 6, 13, 128
 —S, 65, 66
 Eumeninae, 191
Euodynerus foraminatus—E, 192
 stinging sequence, 127, 129, 130, 132, 222
Euparagia scutellaris—E, 191
 Eupelmidae, 13
 —S, 69, 73
Euplectrus agaristae—E, 170
bicolor, sting action, 69, 73
 —E, 69, 73
plathypenae—E, 69, 75
Eupteromalus nidulans—E, 170
Eurytoma appendigaster—S, 69
arctica—E, 170
 Eurytomidae, 13, 69, 73

Euxanthellus, oviposition, 69
 Excitatory postsynaptic potential, 256
Exeirus lateritus—S, 109
Exenterus, oviposition, 69, 72
Exeristes—E, S, 68

F

Fabrogenia fusiformis—E, 176
Feronius formicarius—E, 184
 Fever, 529, 530
 Field ants, 429
 Figitidae, 13
Figitis anthomyiarum—E, 170, 198
 Fire ants, 429
Formica polyctena, venom composition, 444
 rufa, venom composition, 443–445
 alarm pheromones, 445
 nigricans, venom composition, 444
 polyctena, venom composition, 444
 pratensis, venom composition, 444
 Formic acid, 11, 443, 444
 Formic acid, biosynthesis, 443, 444
 Formicidae, 13, 426
 allogenicity, 486
 sting organ, 19
 Formicinae, 429
 venom components, 430
 Formicoidea, 13
 sting organ, 18, 26
 Fungus ants, 429
 Furcula, *see* Sting

G

Galleria unit, *Microbracon* venom, 200
 Giant ants, 429
Glenostictia scitula—S, E, 112, 184, 214
 Glucosidase (α -D-), 335, 337, 348
 isoelectric point, 348
 antigenicity, 348
 Glutamate, 255, 444
Goniozus claripennis, painful sting, E, S, 75,
 77, 171
 emigratus—E, 165, 171
 gallicola—E, 171
 legneri—E, 171
Gorytes, *see also* *Stizus*
Gorytes canaliculatus—E, 109, 184, 214
 chilensis—E, 184

gayi—E, 184
 laticinctus—E, 109
 planifrons—E, 109, 184
 provancher, *see* *G. laticinctus*
 Gymnoptera, 12

H

Habrobracon juglandis, *see* *Microbracon hebetor*
Habrocytus cerealellae—E, 73, 170
 —S, 69
 cionocida—S, E, 69, 73
 Haemolysin, in ant venom, 488–489
 Haemolysis, 310
 Halictidae, 13
Halictus leucosius, venom gland, 22
Haplogonatopus japonicus—S, E, 78, 79, 171
Haploneurion apogonum—S, E, 91, 84, 176
 minus—S, E, 83/91, 84, 176
Harpactopus abdominalis—E, 184
Harpactus laevis—E, 184
Harpagoxenus americanus, trail pheromones,
 462, 465, 466
Harpegnathos saltator, venom offense, 432
 —E, 480
 Harvester ants, 429
 Hay fever, 514
 Headache, 529, 530
 Hemimetabola, 212
Hemipepsis sp.—E, 176
Hemipepsis capensis—E, 176
 ichneumonea, venom agonists, 216
 ustulata—S, E, 83, 176
Hemipterochilus bembecificus—E, 133
Hemiteles hemipterus—E, 166
 hungerfordi, inhibition development, 69,
 72
Heteropelma calcator, egg laying site, 69, 72
Heterospilus cephi—E, 167
 Histamine
 age dependency, 400
 in ant venom, 478
 in bee venom, 330–332, 400
 in queen bees, 331
 in social wasps, 310, 311
 in solitary wasps, 216–218
 LD₅₀ (in bees), 330, 400
 release, 310, 521
Hoteipyris hawaiiensis—S, E, 75, 77, 171

Holometabola, 196
Holotachysphex turneri—E, 103
Homonotus iwatai—E, 176, 219, 236
 effect on oviposition, 236
sanguinolentus, 176
 Honey-bee, *see Apis*
Hoplammophila aemulans—E, 97
Hoplisoides costalis—E, 109, 184
nebulosus—E, 109
tricolor—E, 109, 184
Hoplocrabro quadrimaculatus—E, 184
Hoplomerus reniformis—E, 133
Huberia striata, trail pheromones, 462
 Hyaluronidase
 allergens, 523, 524
 amino acid composition, 345
 immunology, 346, 347
 in ant venom, 474
 in bee venom, 332, 333, 343–347
 molecular weight, 345
 substrate, 346
 hyperimmunity, of beekeepers, 532
 Hypersensitivity
 against venom, 516
 cell mediated, 521
 in asthma patients, 516
 of beekeepers, 532
Hypocrabro stirpicola, *see Ectemnius stirpicola*
 Hypotension, 530

I

Icaria sp., chemotactic peptides, 320
Icazus khargenensis—E, 176
Ichneumon, 2, 3
Ichneumon lineata, venom gland, 22
 Ichneumonidae, 3, 13, 72, 166
 ovipositor, chemoreception, 19, 20
 alkaline gland, 22, 23
 Ichneumonoidea, 13, 67, 68, 166, 196
 sting organ, 18, 26
 Immunoglobulin E (IgE), 512, 521, 528, 532
 Immunoglobulin A, D, M, G, 521, 532, 533
 Immunotherapy, against venom allergy, 518,
 519, 520, 535, 536
 Incontinence, 529, 530
 Indolizidines
 Inhibitory postsynaptic potential, 256
Inostemma boscii, sting in brain, 69, 75

piricola, sting in brain, 75
Iphiaulax kimballi—E, 167, 197
Ipobracon rimae—E, 167
 Isoamyl acetate, alarm pheromone, 58, 59
Isodontia, local paralysis, S, 96
Isodontia auripes—E, 96
mexicana—E, 96, 184
nigella—E, S, 96, 120, 121
 Isopentyl acetate, alarm pheromone, 58, 59

K

Kneading, *see* Malaxation
Kohliella alaris—E, 103

L

Laelius anthrenivorus—E, 172
trogodermatis—E, 172
 —S, 75
 Lancets, *see* Sting
Larropsis chilopsidis—E, 102
Lariophaga distinguendus, random stinging,
 198
 —E, 170
Larra, 101
Larra aequalis, abortive stinging behaviour
americana—E, 184
amplipennis—E, S, 101, 212
analis—E, S, 101, 115, 185, 212
anathema—E, S, 101, 116, 185
argentata—E, 185
carbonaria—E, S, 101, 116
femorata—E, 185
 —S, 101, 116
lusonensis—E, S, 116, 185, 236
 deactivation, 236, *see also L. polita*
polita—E, S, 101
scelesta—E, 185
 Larrinae, 101, 117
Larropsis distincta—E, 185
Lasiochalcidia igiliensis—E, S, 69, 73
pubenens, *see L. igiliensis*
Lasius alienus, alarm pheromone, 445–446
Lasius neoniger, 445
 Leaf cutter ants, 429
Leiophron apicalis—E, 167
 Leptanillinae, 429, 430
Leptogenys, trail pheromones, 462
 alarm pheromones, 466

- Leptogenys attenuata*, venom, offense, 432
chinensis, trail pheromone, 461, 462
neutralis—*E*, 480
 venom, offense, 432
nitida, venom, offense, 432
Leptothorax, trail pheromones, 462
Lestica alata—*S*, 108
clypeata—*E*, 108
heros—*E*, 108
subterranea—*E*, 108
 Leukotrienes, 521
 Limb hypothesis, *see* Stinging behaviour
 Limonene, 467
Lindeni *albilabris*—*E*, 106, 185
meliponus—*E*, 106
mesopleuralis—*E*, 106
panzeri—*E*, 106, 185
pygmaeus—*S*, *E*, 106
subaenus—*S*, *E*, 106
Liris aequalis—*E*, deactivation, 101, 185
 stinging sequence, 101, 123, 124, 127, 137, 139
argentata—*E*, deactivation, 101, 185
 stinging sequence, 101, 123, 124, 127, 137, 139
festinans—*E*, 101
haemorrhoides—*E*, 101, 185
japonica—*S*, 101
muesebecki—*E*, 101
nigra—*E*, 101, 185
 stinging sequence, 101, 122, 123, 127, 137, 139–142
 Locomotor ganglia hypothesis, *see* Stinging behaviour
Lophopompilus carolenis, *see* *Anoplius carolenis*
cleora, *see* *Anoplius cleora*
Lyroda japonica—*E*, 104
subita—*S*, *E*, 104, 185
 Lysophospholipase
 in bee venom, 348
 isoelectric point, 348
 molecular mass, 348
 substrates, 338
- M**
- Macrocentus ancyliclivos*—*E*, 167
 Malaxation, 135
 Mandarotoxin, structure, 323
Manica, trail pheromones, 462
 Manitol-gap technique, 242
Manobia quadridens—*E*, 192
 Massarinae, 191, 222
 Mast cell degranulating peptide, 334–337, 382–394
 analogues, 387, 388
 anti-inflammatory action, 383, 390–393
 disulphide bridges, 386
 histamine release, 382
 isoelectric point, 384
 LD₅₀, 388
 mast cell degranulation, 389
 molar mass, 384
 purification, 384
 structure, 384, 385, 386
 synthesis, 386
 Mastocytolysis, 315, 382, 389, 390
 Mastoparans—*E*, 315, 317
 amphipathic helix, 318
 structure, 315–318
 MDC-peptides, *see* Mast cell degranulating peptides
Megabombus pennsylvanicus, bombolitin, 421
Megachili sericans, venom gland, 22, 26
 Megachilidae, 13
Megaponera foetens, venom, offense, 432
Megascolia flavifrons—*S*, *E*, 8, 80, 82, 173, 215
E, neuromuscular transmitter, 246
 effect on chronaxie, 247
 venom agonists, 215, 216
 venom gland, 22, 26
 venom reservoir, 26
procer—*E*, 173
 Megascoliakinin, 215
 Melittidae, 13
 Melittin (*Apis mellifera*), 332, 333, 337, 338, 421, 477
 analogues, 362
A. cerana, 351
A. dorsata, 351
A. florea, 351
 biosynthesis, 365–369
 contact with lipids, 355–359
 enzyme activity, 363
 haemolysis, 359–363
 molecular weight, 350
 prepromelittin, 366, 367

- Melittin (*Apis mellifera*) (continued)
 primary structure, 351, 352
 promelittin, 366, 367
 purification, 350
 tetrameric form, 350, 352, 353, 354, 358, 361
- Mellifera, 12
- Mellinus arvensis*—S, E, 65, 108, 138, 185
 E, heartbeat, 248
 venom agonists, 216, 221
 venom in ganglion, 144
bimaculatus—E, 185
crabroneus, see *M. sabulosus*
obscurus—E, 108
sabulosus—E, 108, 185
- Mellitobia acasta*—S, E, 69, 75, 170
chalybii—E, 171
vitripennis, see *Nasonia vitripennis*
- Memesa bicolor*—E, 185
- Mepyramine, 215
- Meteorus*—E, 67, 68
 venom reservoir, 24
- Methoca ichneumonides*—S, E, 81, 173
japonica—E, S, 81, 173
punctata—E, S, 81, 173
striatella—E, S, 80, 81, 173
stygia—E, 81, 173
yasumatsui—S, 80
- Methochinae, 81
- Microbembex californica*—S, 110, 185
ciliata—S, 110, see also *M. sulfurea*
monodonta—E, S, 110, 185
sulfurea—E, 185
uruguayensis—S, 110, 185
- Microbracon brevicornis*—E, 167, 249
 E, metabolism 232
 molecular weight, 210
 pH sensitivity, 201
 protein nature, 200
 stability, 200, 210
 venom reservoir, 24, 25
cephi—E, 167
chinensis—E, 167
gelechia—E, 167, 198, 259
 dose-effect curves, 261
 E, epsp's, 258
 E, gut, 249, 250, 251
 E, ipsp's, 260, 261
 E, miniature potentials, 262
 molecular weight, 211
 stability, 211
 time course paralysis, 199
- greeni*—E, 168
hebetor—E, 68, 168, 198, 259
 apparatus for venom collection, 55, 58
 breeding, 46, 47
 dose effect curves, 199
 E, gut, 249, 251, 252
 E, heartbeat, 247
 E, metabolism, 231, 232, 233
 E, miniature potentials, 263, 277
 E, neuromuscular transmission, 247, 258, 277
 E, neurotoxic, 234, 235
 E, nerves, 235
 E, synaptic vesicles, 263, 264
 pH sensitivity, 201
 purification, 202–208
 stability, 200, 201, 202
 time course paralysis, 199
 triline preparation, 56, 58, 200
 unit, 200
 venom apparatus, 23
 venom chemistry, 199–211
 venom gland, 23, 28
 venom gland extract, 48
 venom mass production, 48, 55
 venom reservoir, 23, 56, 57
- hylobii*—E, 168
kirkpatricki—E, 168, 198, 259
 venom organ, 49
lineatellae—E, 168
lutus—E, 168
mellitor—E, 168
pectoralis—E, 169
piger—E, 169
pini—E, 67, 169
pygmaeus—E, 169
terebella—E, 169
thurberiphagae—E, 169
variabilis—E, 169
- Microbracon* toxins, protein nature,
 200–202, 208–211
 amino acid composition, 209
 chromatography, 209
 dose-effect curves, 208, 268
 E, contraction, 267
 E, miniature potentials, 266
 electrophoresis, 210
 isoelectric points, 209

- molecular weight, 205, 208, 209, 265
 pharmacokinetics, 268
 pH sensitivity, 202
 purification, 205–210
Microctonus melanopus—S, 67
Microgaster tibialis—E, 169
Microplectron fuscipennis—E, 69, 75, 171
Microstigmus comes, social behaviour, 161
Microterys clauseni, oviposition, 69, 73
Mimesa bicolo—E, 99, 185
equestris—E, 99
Minagenia, oviposition, 90
Miscophus americanus—E, 104
bicolor—E, 104, 185
bonifaciensis—E, 185
slossonae—E, 104
Monedula, see also *Bembix*
Monedula chilensis, 186, 221, see also *Zyr-
 ryx chilensis*
Monobia quadridens—E, 132
Monoctonus paludum, oviposition, 68, 72
paulensis—E, 169, 196
Monodontomerus aereus—E, 69, 73
Monomorium
 venom components, 456–460
 trail pheromones, 462
Monomorium ebenium, pyrrolidines,
 457–459
carbonarium, 458
cyaneum, pyrrolidines, 457, 458
floricola, pyrrolidines, 457
latinode, pyrrolidines, 457, 458
minimum
 pyrrolidines, 457, 458
 offensive, gasterflag, 434
 venom, offense, 432
minutum, pyrrolidines, 458
pharaonis, pyrrolidines, 457
 indolizidines, 459, 460
 venom, offense, 432
subopacum, pyrrolidines, 457, 458
viridum, pyrrolidines, 457–459
 Morbidity, to stings, 516, 537
Motes abyssinica—E, 102
Mutilla europaea—S, 80, 81
 Mutillidae, 13, 81, 214
 painful sting, 64, 80, 486
 Myrcene, 467
Myrmecia gulosa, venom, offense, 432
 haemolytic activity, 489
 histamine, 478
 kinin-like activity, 477
 neurotoxic activity, 489
 venom reservoir isolation, 52, 55
nigriceps, LD₅₀, 482
 algogenicity, 486
pilosula, venom, offense, 432
pyriformis
 algogenicity, 486
 haemolytic activity, 489
 histamine, 478
 histamine release, 477
 neurotoxic activity, 489
 venom reservoir isolation, 52
 Myrmeciinae, 429
 venom components, 430
Myrmica, trail pheromones, 462
Myrmica hamulata, algogenicity, 487
rubra, trail pheromones, 464
ruginodis, neurotoxic activity, 489
 enzymes, 473, 474
 histamine, 478
 LD₅₀, 483
Myrmecaria eumenoides, terpenes, 466–468
natalensis, terpenes, 466–468
 Myrmicinae, 429
 venom components, 430
Myrmoxenus gordiagini, venom offense, 432
Myzinus andrei—S, E, 79, 81
- N
- Nasonia vitripennis*, venom organ, 20, 25,
 28
 fatal sting, 165
 Nausea, 529, 530
 Nelson's peptide, 399
Nemerites canescens, age dependence paral-
 ysis, 196, 197
 —E, 166
 contact chemoreceptors, 19
Neoponera apicalis, see *Pachycondyla
 apicalis*
Nesomimesa antennata—E, 99
Netela, see *Paniscus*
 Neurally evoked potential, 256
Nitela spinolae—E, 104
Niteloctonus slossonae—E, 186
 Noradrenaline
 in bee venom, 401

Noradrenaline (*continued*)
 in social wasp venom, 311
 Nothomyrmecinae, 429, 430
Nothomyrmecia macrops, venom, offense, 432
Notiochares amethystinus, *see* *Anoplus amethystinus*
Notocyphus—*E*, 90
Notocyphus tyrannicus—*E*, 176
Notogonidea williamsi, deactivation, 236
 —*E*, 101, 186, *see also* *Liris festinans*
Novomessor, trail pheromones, 462
 Nyssominae, 108

O

Oil-gap technique, 242
Odontomachys hematodys
 algogenicity, 487
 bitter taste, 437
 enzymes, 474, 476
 haemolytic activity, 489
 neurotoxic activity, 489
Odynerus ambiguus—*S, E*, 131, 192
anormis—*E*, 131, 192
antilope—*E*, 192
arvensis—*E*, 193
blanchardianus—*E*, 131
capra—*E*, 131, 193
colocolo—*E*, 193
conformis—*E*, 193
consobrinus—*E*, 131, 193
dilectus—*E*, 193
dorsalis—*E*, 193
 —*S*, 131
egregius—*E*, 131, 193
fastidiosissimus—*E*, 131, 193
gallicus—*E*, 131
gayi—*S, E*, 131
geminus—*E*, 131, 193
gracilis—*S*, 129, 131
herrichi—*E*, 193
humeralis—*S, E*, 131, 193
labiatus, *see also* *O. humeralis*, 193
laevipes—*E*, 193
molinae—*S, E*, 131, 193
nidulator—*E*, gut, 193, 249
paludicola—*E*, 131
parietum—*E*, 7, 8, 193
perennis—*S, E*, 131

quadrifasciatus—*E*, 193
reniformis—*E*, 131, 193
scabriusculus—*E*, 193
spinnipes—*E*, 6, 7, 131
spiricornis—*E*, 131
suecicus—*E*, 193
supetiolearis—*S, E*, 131
tropicalis—*E*, 193
tuberculiventris—*S*, 132
 —*E*, 193
vespiformis, *see* *O. supetiolearis*
Oecophylla longinoda, alarm pheromones, 58
Oncophanes laevigatus—*E*, 169
Orancistrocerus drewsnei—*E*, 133, 193
Orasima sp., structural deformities, 233
 Orussoidea, 162
 Ovipositor, contact chemoreceptors, 19
Oxybelus ambiguus—*E*, 105, 185
argentatus—*E*, 105
bipunctatus—*S, E*, 105
emarginatus—*S, E*, 105, 186
exclamans—*E*, 185
melancholicus—*S, E*, 105, 186
mucronatus, *see* *O. ambiguus*
pilosus—*E*, 105
platensis—*S*, 105
quatuordicimnotatus—*E*, 186
sericeum—*E*, 186
unigulumus—*S, E*, 106, 128, 186
victor—*E*, 106, *see also* *O. melancholicus*

P

Pachycondyla apicalis
 algogenicity, 487
 bitter taste, 437
 haemolytic activity, 489
 neurotoxic activity, 489
commutata, venom, offense, 432
insularis, foam production, 436
laevigata, venom, offense, 432
 alarm pheromones, 466
obscuricornis, bitter taste, 437
sorrow, venom, offense, 432
tridentata, foam production, 436
 Painful sting, 451, 485–487, 517, 527
Palarus flavipes—*S, E*, 8, 103
latifrons—*E*, 186
orientalis—*E*, 186

- rufipes*, see *P. flavipes*
saishiuensis—*E*, 186
variegatus—*S, E*, 104
Palmodes carbo—*S*, 96, 119
dimidiatus—*E*, 96
laeviventris—*E*, 96
occitanicus—*S, E*, 96, 118
 venom agonists, 216, 221
Paniscus—*S*, 72
cristatus—*E*, 166
geminatus—*E*, 166
ocellaris—*S, E*, 69, 72, 166
spinnipes—*E*, 166
Parabatozonus kakodadi—*E*, 90
Parachilus insignis—*S, E*, 133
Paranysson malanopyrus—*E*, 186
Paraponera clavata
 allogenicity, 487
 enzymes, 474, 476
 haemolytic activity, 489
 LD₅₀, 438, 483
 neurotoxic activity, 489
Parasclerodermus berlandi—*E, S*, 77, 172
Parasitica, 11, 67
Paraspisula germanica, active amines, 310, 311
jadwigae, mastoparan, 316
lewisii, active amines, 310, 311
 chemotactic peptides, 320
 kinins, 313
maculifrons, active amines, 310, 311
 antigen 5, 323
 kinins, 313
pennsylvanica, LD₅₀, 438, 482
 allogenicity, 486
vulgaris, active amines, 310, 311
 sting, 20
Parisierola cellularis—*E*, 172
emigrata—*E*, 172
nephantidis—*E*, 172
Passaloecus—*E*, 221
Passaloecus annulatus—*E*, 100
eremita—*S*, 100, 186
gracilis—*E*, 187
insignis, see also *monilicornis*
 —*E*, 187
 monilicornis—*S*, 100
Pedinaspis crassitarsis—*E*, 93
Pelopaëus caementarius, see *Sceliphron*
Pemphredon diervillae—*S, E*, 100
inornatus—*S*, 100
lugubris—*E*, 187
shuckardi, see *P. inornatus*
Pemphredoninae, 99, 115
Penepodium—*E*, 95
Pepsinae, 80, 84
Pepsis—*S*, 64, 84
dubiata—*E*, 176
chrysothemis—*S*, 84
formosa, LD₅₀, 438, 482, see also *P. mildei*
 allogenicity, 486
limbata—*S*, 84, 176
marginata—*S, E*, 83, 84, 176, 213
 —*E*, heartbeat, 248
mildei—*E*, 83, 176, 213
 —*S*, 84
thisbe—*S, E*, 84, 176
 Peptide 401, see Mast cell degranulating peptide
 chromatography, 383
 structure, 386
Perisierola emigrata—*S, E*, 75, 77
gallicola—*S, E*, 77
Petalodes unicolor—*E*, 167
Phanerotoma, venom reservoir, 24
Phanomeris cantenator—*E*, 167
phyllotomae—*E*, 167
Phanagenia bombycina—*E*, 176, 219
 Phellandrene, 467
Pheidole, allomones, 469, 470
 trail pheromones, 461, 462
 Philanthinae, 112
 Philanthotoxins, see also α -, β -, γ -, δ -
 Philanthotoxin
 chromatography, 225, 226
 dose-effect curves, 227, 228, 280
 E, acetylcholine potentials, 245
 E, desensitization, 287
 E, glutamate potentials, 281–283
 E, gut, 249–250, 251, 252–255
 E, ion channels, 278, 279, 281–287
 effect on honey-bees, 227, 228
 α -Philanthotoxin, 224–226
 β -Philanthotoxin, dose effect curve, 280
 bruto formula, 228
 E, glutamate potentials, 287–288
 molecular weight, 228
 potentiating effect, 227, 228
 polyamine, 229
 γ -Philanthotoxin, paralysis, 224
 dose-effect curve, 228, 280
 glutamate antagonist, 280

- δ -Philanthotoxin, paralysis, 224
 bruto formula, 229
 channel block, 281–287
 dose-effect curve, 227, 280
E, glutamate potential, 251, 281–283
E, proctodeum, 252, 255
 molecular weight, 229
 polyamine, 229
- Philanthus* venom
- E*, acetylcholine potentials, 245
 chromatography, 225, 226
 —*E*, glutamate potentials, 273
E, gut, 251–255
 —*E*, heart, 248
 —*E*, miniature potentials, 272, 274, 277, 278
 —*E*, skeletal muscle, 269–273, 277
 —*E*, synaptic vesicles, 274, 275
- Philanthus bicinctus*—*E*, 112
- bilunatus*—*E*, 187
coronatus, venom gland, 22
crabroniformis—*S*, 112
denticollis—*E*, 187
 —*E*, neuromuscular transmission, 271
flavifrons—*S*, 112
 —*E*, 187
gibbosus—*S*, *E*, 112, 187
lepidus—*E*, 187
politus—*E*, 181
punctatus—*E*, 112, 187, 195, *see also P. gibbosus*
raptor, *see P. venustus*
solivagus—*E*, 187
triangulum—*S*, *E*, 8, 64, 65, 112, 187, 195
 bee unit of venom, 50
 —*E*, neuromuscular transmission, 244–287
 —*E*, heartbeat, 247–249
 —*E*, visceral muscles, 249–253
 —*E*, axonal excitability, 242–246
 venom organ, 33–40
 copulation, 46
 venom agonists, 216, 221, 224
 venom antagonists, 224
 venom chemistry, 222–230
 collection in the field, 50
 purification, 222–230
 —*E*, peripheral nerves, 244
 —*E*, insect CNS, 235, 236, 242, 243
 mating behaviour, 45
venustus—*E*, 112, 187
- Phospholipase A, ant venom, 473–475
- Phospholipase B, ant venom, 473–475
- Phospholipase A₂
- allergenicity, 523
 anaphylactogenicity, 343
 desensitization, 342
 effect of melittin, 338
 haemolysis, 341, 342
 immunology, 342–343
 in bee venom, 333–343, 523
 in queen bees, 333
 LD₅₀, 342
 molecular mass, 339
 sequence, 339, 340
 substrates, 339
 synthesis prostaglandins, 340
- Phospholipase, in wasp venom (allergen), 523
- glycosylation, 523, 524
- Phosphomonoesterase, *see* Acid phosphomonoesterase
- Phytiphaga, 11
- Piloerection, 527
- Pimpla*, pores in ovipositor, 20
- Pimpla pomorum*—*E*, 166
- turionella*, *see* *Coccygomimus turionella*
- Pinene, 467
- Piperideines, 446–456
- Piperidines, 446–456
- Pirene graminea*—*E*, 69
- Pismyre ants, 11, 429
- Pison areolatus*—*E*, 187
- chilense*—*E*, 187
strandii—*E*, 104
- Pisonopsis areolata*—*E*, 104
- Plagiolepis*, alarm pheromones, 445
- Planiceps hirsutus*—*E*, 176
- saussurei*—*E*, 176
- Platygaster zosine*, oviposition, 69, 75
- Platygastridae, 13, 69
- Platythrea cribrinodis*
- enzymes, 474, 476
 haemolytic activity, 489
 neurotoxic activity, 489
- Plenoculus davisii*—*E*, 104
- Pleurotropis panei*—*E*, 171
- Podagritus gayi*—*S*, *E*, 107
- rufotaeniatus*—*S*, *E*, 107
- Podalonia hirsuta*—*S*, *E*, 65, 97, 126, 134, 137, 137, 187
- luctuosa*—*E*, 97, 187, 220

- stinging sequence, 127, 137
robusta—E, 97
tydei—S, 97
valida—E, 188
violaceipennis—S, 97, 188
 —E, gut, 249
Podium flavipenne—E, 188
haematogastrum—E, 117
luctuosum—E, 95
rufipes—E, 95
Poecilopompilus interruptus—E, 87, 177
Pogonomyrmex
 algogenicity, 487
 allergens, 522, 525
 LD₅₀, 483
 trail pheromones, 462
Pogonomyrmex
badius
 LD₅₀, 480
 enzymes, 476–478
 haemolytic activity, 489
 haemolysin, 477, 488
 histamine, 478
 neurotoxic activity, 489
barbatus
 barbatolysin, 477
 haemolytic activities, 477, 488, 489
 neurotoxin, 478, 489
maricopa, LD₅₀, 438
Polistes annularis, kinins, 313
apachus, venom organ extract, 48
arizonensis, algogenicity, 486
chinensis, active amines, 310, 311
 kinins, 313
comis, active amines, 310, 311
exclamans, kinins, 313
fuscramatus, kinins, 313
fuscatus, algogenicity, 486
gallica, venom gland, 22
infuscatus, LD₅₀, 482
 algogenicity, 486
jadwigae, kinins, 313
Polistes rothneyi
 active amines, 310, 311
 kinins, 313
tepidus, active amines, 310, 311
 Polyamines
 in bee venom, 418
 in wasp venom, 229, 310–312
Polybia chrysothorax, see *P. sericea*
rejecta, algogenicity, 486
sericea, LD₅₀, 482
 algogenicity, 486
Polysphincta eximia—S, E, 68, 72, 73, 166
 Pompilidae, 13, 80, 427
 algogenicity, 486
 sting organ, 19
 Pompilinae, 86
Pompilinus, see *Anoplius*
 Pompiloidea, 13, 174, 215
 sting organ, 18
Pompiloides marginatus—E, 90
tropicus—S, E, 90, 93, 177, 213
Pompilus abnormis—E, 89
acrobatis—E, 177
apicalis—S, 89
araucanus—E, 89
arctus—E, 89, 177
belardoo—E, 177
biguttatus—E, 177, 215, see also *Anoplius*
biguttatus
calipterus—E, 177
chalybeatus—E, 89
cinctellus—S, E, 89, 177, 219
cinerus—E, 177
cingulatus—E, 177, 212, 219
effodiens, absence of stinging, 89
fazii—E, 89
fumipennis—E, 89
fuscipennis—E, 177
gibbus—E, 89, 177
haematopus—E, 89
holomelas—E, 89
luctuosus—E, 177
marginatus—S, 89, 177
misturatus—S, 89
 —E, 177
nebecula—E, 177
pectinipes—E, 177
plicatus—E, 177
plumbeus—S, E, 89
proximus—E, 177
pulcher—S, E, 89
quinqunotatus—E, 89, 177, 195
republicanus—E, 89, 177, 212
rytiphorsu—E, 177
scelestus—S, E, 89, 177
sericeus—S, 90
 —E, 177
sexmaculatus—S, 90
 —E, 177
sobrinus—S, 90

- Pompilus abnormis*—E, (continued)
spinolae—S, E, 90, 177
trivialis—E, 90, 177
vagans—S, E, 90, 93, 178, 212
venustus, see *P. sexmaculatus*
wesmaeli—E, 177
- Ponerinae, 429
 venom components, 430
- Postsynaptic potentials, 256
- Praedones, 11
- Praon palitans*, no paralysis, 164, 169
- Prepromelitins, sequence, 367
- Preproscapin, structure, 395
- Prioncnemis*, see also *Haploneurion*
- Prioncnemis affinis*—S, 85
bellieri—S, E, 85
bisdecoratus—S, 85
cornica—S, E, 85, 91, 178
germana—E, 85
hestia—S, E, 85, 91, 178
leucocoelius—S, E, 85, 178
hyalinatus—E, 178, 213
leucocoelius—S, E, 85, 91
massaliensis—E, 85
minorata—E, 85, 91, 178
notha—E, 85, 178
opacus—S, 91
pertubator—E, 178
pusillus—E, 85
vachali—E, 178
variegata, venom gland, 22
- Prioncnioides unifaciatus*—E, 85, 91, 178
- Prionyx albisectus*, see *P. kirbyi*
atratus—E, 96
kirbyi—S, E, 96
niveatus—S, 97
parkeri—S, E, 97, 124, 137, 139, 188
spinolae—S, 97
striatus—E, 188
subfuscatus—S, E, 97, 124, 188
thomae—S, E, 97, 188, 213
- Pristocera armifera*—S, E, 77
- Procaine, in bee venom, 398
 structure, 399
- Proctolin, 251, 254
- Proctotrupodea, 13, 69, 75
- Prosopigastra creon*—E, 103
- Prostaglandins, 521
- Protease inhibitor, in bee venom, 397, 398
- Protein-mucopolysaccharide complex, 163
- Proximate factors, stinging behaviour, 136
- Psammaecius tricolor*, see *Hoplisoides tricolor*
- Psammophila tydei*—E, 188
- Psen ater*—E, 99, 188
barthi—E, 99
- Pseudagenia argentiosignata*—E, 178
carbonaria—E, 178
gayi—S, 86, 178
mellipes—E, 178
- Pseudogonatopus hospes*—S, 78, 79, 171
- Pseudomyrmecinae, 429
 venom components, 430
- Pseudomyrmex mexicanus*
 allogenicity, 487
 enzymes, 474, 476
 haemolytic activity, 489
 LD₅₀, 438, 483
 neurotoxic activity, 489
- Pseudosphecae, 3
- Psychological morbidity, 520
- Pterochilus chevrieranus*—E, 193
5-fasciatus—E, 132
- Pteromalidae, 13, 69, 73
- Pteromalus puparum*, venom organ, 20, 30
- Pterombus cicindelucidus*—S, E, 81, 173
ihirigini—E, heartbeat, 173, 248
picipes—E, 173
piceus—S, 81
- Pupation inhibition, *Chrysis shangaiensis*,
 76
- Puritus, 530
- Putrescine, 310–312
- Pygidial gland, 440
- Pyrrrolidines, 454, 457, 458
- Pyrrrolines, 454, 459
- Q**
- Queen recognition pheromone, 469
- R**
- Random stinging hypothesis, see Stinging
 behaviour
- Radioallergosorbent test, 524
- Raphiglossa zethoides*—E, 193
- Rast technique, see Radioallergosorbent test
- Recognition pheromones, 440
- Rhaconotus scirpophagae*—E, 169
- Rheumatoid arthritis
 use of ant venom, 493
 use of bee venom, 390–393

- Rhinitis, 514
Rhinopsis canaliculatus, see *Ampulex canaliculatus*
Rhogas, venom reservoir, 24
Rhogas plecopterae—*E*, 169
testaceus—*E*, 169, 197
Rhopalicus pulchripennis—*E*, 171
Rhopalum brevinodum—*S, E*, 106
claudii—*S, E*, 106
clavipes—*E*, 106
latronum—*S*, 106
longinodum—*E*, 107
nipponicum—*E*, 107
Rhoptocentrus piceus—*E*, 169
Rhynchium anceps—*S, E*, 132, 193
sting wounds, 130
aruliferum, venom agonists, amines, 217, 310, 311
marginellum—*S, E*, 132
medium—*E*, 194
mirabile, venom agonists, amines, 217, 310, 311
oculatum—*S, E*, 132, 193
Rhyssipolis decorator—*E*, 169
Rhyssa persuasoria—*E*, 166
Rhytidoponera impressa, venoms, offense, 432
Ropalidia
LD₅₀, 482
marcriventris, active amines, 310, 311
marginata, active amines, 310, 311
Rubrica gravida—*S*, 110
nasuta, see *R. surinamensis*
surinamensis—*S, E*, 110, 188, 221
- S**
- Sabinene, 469
Salius conicus—*E*, 188
dispertitus—*S*, 84, 178
dumosus—*S, E*, 84, 178
flavipes—*S*, 84, 178
hirticeps—*E*, 178
opacus—*E*, 188
sycophanta—*S, E*, 84
Sapygidae, stinging apparatus, 17
Sceliphron, 3, 7, 95
sceliphron asiaticum—*S, E*, 95
caementarium
—*S*, 95, 188
—*E*, 95
—*E*, heartbeat, 248
venom chemistry, 221
laetum, venom agonist, 216
spirifex
—*S*, 95
—*E*, 189, 221, 222
venom agonists, 216, 221
vindex—*E*, 189
Sceliphronini, 121
Schizotonus sieboldi—*E*, 171
Sclerodermus—*S, E*, 76, 77, 214
Sclerodermus domesticum—*E*, 172
chilonella—*S*, 77
immigrans—*E*, 172
Sclerogibba embiidarum—*S, E*, 76, 77
longiceps—*E*, 76, 77
Sclerogibbidae, 13, 76, 77, 171, 214
Scolia bifasciata, see also *S. hirta*, 173
dorsata—*S*, 82
flavifrons, see *Megascolia formosa*—*E*, 80, 82
hirta—*S, E*, 82, 173
venom agonists, 215, 216
manilla—*S, E*, 82, 173
Scoliidae, 13, 80–82, 214, 215, 486
Scolioidea, 13, 26, 79, 172, 214, 215
Secapin, 394, 395
Segment hypothesis, see Stinging behaviour
Serrastruma serrula, venom, offense, 432
Sericomyrmex urichi, trail pheromones, 462
Sericophorus sculpturatis—*E*, 189
viridis—*S, E*, 104
Sericopimpla sagrae—*E*, 68, 166
Sericopompilus apicalis—*S, E*, 86, 178
Serotonin
in bee venom, 417
in wasp venom, 216–218, 310, 311
Sex pheromones, 440, 465
Sheath, see Sting
Sierola molokaiensis—*E*, 77
Sierolomorphidae, 427, 428
Sirex noctilio, mucus venom, *E*, 163, 164
molecular weight of toxin, 164
Skatole, 496, 470
Soft membrane hypothesis, see Stinging behaviour
Soft spot hypothesis, see Soft membrane hypothesis
Solenius nigrifrons—*E*, 189
Solenopsis, 446–456
allergens, 522, 525

- Solenopsis aurea*, piperidines, 447, 449
carolinensis, piperidines
conjurata
 piperidines, 455
 pyrrolidines, 454
edwardi, piperidines, 449
fugax
 pyrrolidines, 454
 venom, offense, 432
geminata
 piperidines, 447–449, 452
 algogenicity, 449
invicta
 algogenicity, 451, 487
 allergens, 527
 —*E*, smooth muscle, 491, 492
 enzymes, 473, 474
 piperidines, 448, 449, 452
 proteins, 453
 queen recognition pheromone, 469–471
 venom apparatus, 433
 venom, offense, 431–433
littoralis, piperidines, 455
molesta, pyrrolidines, 454
pergandei
 piperidines, 455
 pyrrolidines, 454
punctaticeps, pyrrolidines, 454
richteri
 allergens, 527
 algogenicity, 451
 piperidines, 448, 449, 452
saevissima
 algogenicity, 451
 piperidines, 449
 venom collection, 53
texana, pyrrolidines, 454
xyloxi, piperidines, 446–459, 452
Solenotus begini—*E*, 171
Solierella striatipes—*E*, 104
 Spermidine, 310–312
 Spermine, 310–312
 Sphecidae, 13, 427, 428
 algogenicity, 486
 venom organ, 19
 Sphecinae, 93, 94
Spheco, 2
Sphecius speciosus—*S*, *E*, 109, 189, 213
 lesions in CNS, 242
 Sphecoidea, 13, 179, 219–222
 sting organ, 18
 Sphecomyrminae, 429, 430
Sphex, 2
abdominalis, see *Harpactopus abdominalis*
aberti—*E*, 189, 213
aegypticus—*E*, 189
albisecta—*E*, 189
argentatus, see *S. umbrosus*
argyrius—*E*, 189
chilensis—*E*, 189
cognatus—*E*, 189, 213
cyaniventris—*E*, 189
 —*E*, gut, see also *Stangeella cyaniventris*, 249
 —*S*, 125
flavipennis see also *maxillosus*, 64, 95
ichneumoneus—*S*, *E*, 95, 119, 120, 189
latreilli—*S*, *E*, 95, 119, 189
 —*E*, gut, 249
lobatus—*E*, 189
 lethargy, 236
maxillosus—*S*, *E*, 96, 189
 reproductive organs, 21
 reproductive/venom system, 21
 venom glands, 21
nigellis—*E*, 189
 —*E*, gut, 249
nigricans—*E*, 189
occitanicus—*E*, 190
 —*E*, gut, 249, 250
paludosus—*E*, 190
pensylvanicus—*S*, *E*, 96, 119
sabulosa—*E*, 7
subfuscatus—*E*, 190
umbrosus—*S*, *E*, 96, 120, 190
Spilocryptus extrematus—*E*, 69, 73, 166
 preservative venom, 69
 Squeezing of prey, see *Synagris cornuta*
Stangeella cyaniventris—*S*, *E*, 94, 125
Steniola—*E*, 221
Steniola obliqua—*E*, 112, 190
Stenobracon deesae, venom organ, 24, 169
nicevillei—*E*, 169
Stenodynerus fulvipes—*E*, 132
lineatifrons—*E*, 132
Stictia carolina—*E*, 110, 190
maculata, 110
punctata—*S*, 110

- signata*—S, 111
Stictiella, —E, 221
Stictiella evansi—E, 190
 formosa—E, 141, 190
 serrata—E, 190
Stigmus—S, E, 100
Stigmus pendulus—S, 100
Sting
 crura, 9, 10, 433
 furcula, 18
 kits, 534
 lancet, 9, 10
 protraction, retraction, 19
 sheath, 9, 10, 19
 stylet, 10
 wounds, 135
Stinging behaviour
 all ganglia hypothesis, 141, 142
 cephalisation, CNS, 145
 limb hypothesis, 141, 142
 locomotor ganglia hypothesis, 141, 142
 proximate factors, 136–140
 segment hypothesis, 141, 142
 soft membrane hypothesis, 141, 142
 ultimate factors, 136, 140–147
 variation, 140
Stingless bees, 417
Stizus, see also *Bembecinus*
Stizus distinguendus, see *S. ruficornis*
 fasciatus—S, E, 109
 fertoni—E, 190
 pulcherrimus—S, E, 109, 190
 —E, gut, 249
 ruficornis—S, E, 109, 124
Suboesophageal ganglion, sting in, 236–241
Sweating, 527
Symmorphus canadensis—E, 132
 cristatus—E, 132
 murarius—S, E, 132
 sinuatissimus—E, 132
Sympatric competitors, 431, 461
Symphyta, 12, 13, 162–164
 venom organ, 20
Synagris calida—S, 133
 —E, 194
 sting wounds, 130
 cornuta—S, 133
 sicheliane—E, 194 see also *S. calida*
 sting wounds, 130
Synergus, pores ovipositor, 20
Systemic hypersensitivity, 512
Systemic reactions, IgE mediated, 529
- T
- Tachyachetes filicornis*—E, 86, 91, 179
Tachypomplilus ferrugineus—E, 87, 179
Tachysphex albocinctus, see *T. mantiraptor*
 apicalis—E, 102
 ashmeadi, see *T. rufipes*
 bengalensis—E, 102, 190
 boharti—E, 102
 costa—S, E, 102, 124
 erythropus, see *T. fluctuatus*
 filicornis—E, 102
 fluctuatus—S, E, 103, 190
 fugax, see *T. filicornis*
 helveticus—E, 190
 julliani—S, E, 66, 103, 190
 lativalvis—E, 103, 118
 mantiraptor—E, 103, 190
 mediterraneus—E, 103, 190
 mundus—E, 103
 nitidus—E, 103
 obscuripennis, see *T. lativalvis*
 obscuripennis group, 118
 panzeri—S, E, 103
 parvulus—S, 103
 pechumani—S, E, 103
 pisonoides—S, 103
 —E, 190
 pompiliformis—E, 103
 quebecensis—E, 103
 rufipes—S, E, 103
 rufitarsis—S, 103, 191
 sericeus, see *T. fluctuatus*
 similis—E, 103
 tarsatus—S, E, 103, 124
 terminatus—E, 103, 191
Tachytes aurentulus—E, 102
 crassus—E, 102, 191
 distinctus, guarding behaviour, 161, 162
 europaca—E, 191
 intermedius, see *T. minutus*
 mandibularis—E, 191
 mergus—S, E, 102, 125, 191
 minutes—E, 102, 191
 validus—E, 102

- Tarantula hawks, *see* *Pepsis. Hemipepsis*
 Taxonomic distinctiveness, 427
 Terebrantia, 3, 6, 12, 13, 67, 166
 sting organ, 17
Termitopone, *see* *Pachycondyla*
 Terpinene, 468
 Terpinolene, 468
Tersilochus conotracheli—*E*, 166
 Tertiapin
 LD₅₀, 396, 397
 structure, 396, 397
Tetramorium, trail pheromones, 462, 464
Tetrastichus flavigaster—*E*, 171
taylori—*E*, 171
 Thief ants, 429, 446, 453
 Third venom gland, 11
 Thynnidae, 79
Thyreus clypeata, *see* *Lestica clypeata*
Tiphia femorata—*E*, 173
 lucida—*E*, 81, 173
 morio—*S. E.*, 79, 81, 173
 parallela—*E*, 173
 popiliavora—*S. E.*, 79, 81, 173, 212, 215
 segregata—*S. E.*, 81, 173
 Tiphidae, 13, 79, 81, 214, 427, 428
 Torymidae, 13, 69, 73
Tracheliodes quinqueontatus—*E*, 107
Trachymyrmex, trail pheromones, 462
Trachypus denticollis—*S. E.*, 112
 mexicanus—*E*, 191
 Trail pheromones, 440, 461–464
Trichacis remulus, sting in CNS, 69, 75
 Trichloroethylene, *see* Trilene
Trichogramma, contact chemoreceptors, 19
Trichomalus fasciatus—*E*, 164, 171
Trielis sexmaculata, *see* *Campsomeris sexmaculata*
Trigonopsis, 118
Trigonopsis abdominalis—*E*, 95, 191
 cameroni—*S. E.*, 191
 morbali—*E*, 95, 191
 Trilene, venom collection, 56, 58
Triscolia rubiginosa—*E*, 173
Tryphon incestus, site specificity egg laying, 69, 72
Trypoxylon abitarsa, *see* *T. palliditarsae*
 albopilosum—*E*, 191
 attenuatum—*E*, 104
 bicolor—*E*, 104
 bidentatum—*S.*, 104
 clavicerum—*E*, 191
 collinum—*E*, 105
 elongatum—*E*, 105, 191
 figulus—*E*, 105, 191
 palliditarsae—*S. E.*, 105
 politum—*E*, 105, 191
 responosum—*E*, 105
 rubrocinctus—*E*, 191
 rugiceps—*E*, 105
 spinosum—*E*, 105
 texense—*E*, 105, 191
 xanthandrum—*E*, 191
Turneromyia melangolicus—*E*, 179
 Typhiidae, *see* Tiphidae
 Tyramine, in social wasp venom, 311
- U
- Ultimate factors, stinging behaviour, 136
 unconsciousness, 530
 urticaria, 496, 530
- V
- Velvet ants, *see* Mutillidae
 Venom apparatus, *Microbracon hebetor*, 23
 Venom gland
 Ammophila sabulosus, 22
 Ampulex compressa, 33, 34
 Andrena pilipes, 22
 Apis mellifera, 22, 25, 26, 40
 Astata boops, 22
 Bombus muscorum, 22
 Camponotus pennsylvanicus, 22, 26
 Cerceris arenaria, 22
 Crabro cephalotus, 22
 Diamma bicolor, 22
 Emphytus tibialis, 22
 endoplasmic reticulum, 22
 Halictus leucosius, 22
 Ichneumon lineata, 22
 Mechachile sericans, 22, 26
 Megascolia flavifrons, 22, 24, 26
 Microbracon hebetor 23, 24, 28, 30, 32, 35, 37, 40
 Nasonia vitripennis, 25, 28, 40
 Phylanthus coronatus, 22
 Phylanthus triangulum, 33–40
 Polistes gallica, 22
 Priocnemis variegata, 22

- Pteromalus puparum*, 28, 29, 33
secretory cells, 28, 33, 40
third, *see* Third venom gland
type A, 28
type B, 28
Vespa crabro, 22, 24
Vespula germanica, 22
Vipio terrefactor, 22, 26
Xylocopa violacea, 22, 24
- Venom organ
Apis, 9
Apioidea, 22, 25, 26, 27, 26
Ampulex, 23, 34
Campsomeris, 31
Formicoidea, 22, 26
Ichneumonoidea, 22, 26
injection type, 18, 23
Mechachilae sericans, 26
Microbracon hebetor, 23, 32, 40
Nasonia vitripennis, 25, 28, 40
Philanthus, 30–40
Pompiloidea, 22
Scolioidea, 22, 26
Sphecoidea, 22
Symphyta, 22
valve pump type, 18, 23
Vespa, 9, 26
Vespoidea, 22, 26
- Venom reservoir
absence in *Ampulex*, 23
Apis mellifera, 25, 26
Megascolia flavifrons, 24, 26
Microbracon brevicornis, 24, 28
Braconidae, 20, 22–25
muscular sheath, 23–25
Philanthus triangulum, 33–40
Scoliidae, 23
Solenopsis invicta, 433
Vespa arenaria, 40
Vespa crabro, 22, 24
Vespa maculata, 40
Vespipea, 23, 40
Xylocopa violacea, 22, 24
- Venom sac, *see* Venom reservoir
Véromessor pergandei, trail pheromones, 462
Vespa, venom organ, 26
Vespa affinis, active amines, 310, 311
analis
active amines, 310, 311
chemotactic peptides, 317–320
kinins, 312–314
mastoparan, 315–317
anenaria, venom reservoir, 40
crabro
active amines, 310, 310
allergens, 522
chemotactic peptides, 317–320
crabrolin, 319, 320, 422
mastoparan, 316
venom gland, 22, 24
venom reservoir, 22, 24
maculata, venom reservoir, 40
mandarinia
active amines, 310, 311
algogenicity, 486
allergens, 522
chemotactic peptides, 317–320
chromatography, 319
kinins, 312–314
LD₅₀, 482
mandarotoxin, 322, 323
mastoparan, 315–317
orientalis
active amines, 310, 311
allergens, 522
chemotactic peptides, 320
mastoparan, 315–317
neurotoxin, 322
venom apparatus, 40
squamosa, algogenicity, 486
tropica
active amines, 310, 311
chemotactic peptides, 317–320
chromatography, 319
kinins, 312–314
mastoparan, 315–317
neurotoxin, 322
vulgaris, *see* *Paravespula xanthopha*
xanthopha
active amines, 310, 311
chemotactic peptides, 317–320
kinins, 312–314
mastoparan, 315–317
Vespae ichneumones, 4
Vespid neurotoxins—E,
Vespidae, 13, 427, 428
algogenicity, 486
Vespiniae, 222
Vespoidea, 13, 222
sting organ, 18, 20, 26, 191

Vespula arenaria, venom organ extract, 48
germanica, venom gland, 22
pennsylvania, venom organ extract, 48, *see*
also Paravespula pennsylvania
squamosa
 algogenicity, 486
 antigenicity, 525
sulfurea, antigenicity, 525
Vipio terrefactor, venom gland, 22, 26
 vital statistics of US, 510
 Vmac 1, 3, 523
 Vomiting, 529

W

Wasmannia auropunctata, venom, offense,
 431, 432
 Whole body extracts, 519

X

Xenarcha lustrator—E, 169
Xenomymex floridanus, sex pheromones,
 465
Xylocelia—E, 221
Xylocelia americana—E, 191

metathoracica, 191
occidentalis—E, 191
Xylocopa appendiculata
 histamine, 423
 polyamines, 423
violacea
 histamine, 423
 slow-contracting substance, 423
 toxic effects, pain, 422, 423
 venom gland, 22
 venom reservoir, 22, 24
virginica
 algogenicity, 486
 LD₅₀, 482
 pain, 422, 486
 sting organ, 17
 Xylocopinae, 417

Z

Zaglyptus iwatai—S, E, 68, 166
variipes—E, 68, 73
Zethus dicomba—E, 194, 222
cyanopterus—E, 133, 194, 222
discomboda—S, E, 133
Zyzyx chilensis—S, E, 111