

H. R. Hepburn · C. W. W. Pirk
O. Duangphakdee

Honeybee Nests

Composition, Structure, Function

 Springer

Honeybee Nests

H. R. Hepburn · C. W. W. Pirk
O. Duangphakdee

Honeybee Nests

Composition, Structure, Function

H. R. Hepburn
Department of Zoology and Entomology
Rhodes University
Grahamstown
South Africa

O. Duangphakdee
Faculty of Engineering
King Mongkut's University of Technology
Thonburi
Bangkok
Thailand

C. W. W. Pirk
Social Insect Research Group, Department
of Zoology and Entomology
University of Pretoria
Pretoria
South Africa

ISBN 978-3-642-54327-2 ISBN 978-3-642-54328-9 (eBook)
DOI 10.1007/978-3-642-54328-9
Springer Heidelberg New York Dordrecht London

Library of Congress Control Number: 2014931509

© Springer-Verlag Berlin Heidelberg 2014

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law. The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

For
Prof. Dr. Warwick Estevam Kerr

Preface

This new monograph, *Honeybee Nests: Composition, Structure, and Function*, was originally conceived as an extension or revision of an earlier monograph, *Honeybees and Wax: An Experimental Natural History*, published in 1986 by Springer Verlag, Berlin. That monograph was restricted to publications on *Apis mellifera* in the literature up until 1985. However, an extensive search of Google Scholar™ quickly revealed that the number of relevant scholarly references to *Honeybees and Wax* for all species of *Apis* published before 1986 is less than a third of that published since. While *Honeybees and Wax* did, and still does, enjoy fair coverage in contemporary literature, it is beyond doubt very out-of-date. Indeed, the need for a completely new work, and not merely a revision, became apparent when one considers that there has been more than a three-fold increase in the relevant literature.

It is fair to ask ‘Is this a new or revised edition?’ In the publishing trade it is obvious that there are subjective, qualitative differences between a ‘revised edition’ and a ‘new edition’ which hinges on whether the differences constitute something very different, or merely slightly different. In the present case, we can assure the reader that more than 60 % of the text, tables and figures in *Honeybee Nests: Composition, Structure, and Function* represents all new and relevant literature that has appeared in the scientific journals over the past quarter of a century.

We would like to introduce the chapters of this book by reference to the various forms of swarming. Given that there are well over 10,000 publications concerning swarming in honeybees that began to appear in the early eighteenth century, this matter has received intense scrutiny by observations and experiments. However, here we do not attempt a review of this subject, which would require its own volume, but rather restrict comments largely to the circumstances that precede swarming and in terms of ‘wax-readiness’ once a new nest site has been chosen and the colony has settled there.

The structure of the contents of this new volume is virtually opposite to that of its predecessor. In the 1986 book, the chapters began at the finest level on the nature and production of beeswax, including cytology of the wax gland system, composition and synthesis of beeswax and the energetic considerations that bear on these topics. This section was followed by chapters on the material properties of beeswax and the construction of cells and combs. The final section comprised

large-scale biological factors such as nectar flow, pollen and wax production, the brood nest, the queen and the microenvironment. On the suggestions of several colleagues, in this new work we proceed in precisely the opposite manner, from large and to small. So now it begins with a broad portrait on nesting, which is of fundamental interest to all honeybee biologists, and leaves the physics and chemistry of beeswax and molecular biology of silk to the end, which will have a considerably more finite appeal.

Of particular interest, we have seen, in the last quarter of a century, substantial incursions into the 'old honeybee preserve' of honeybees and wax by major scholarly publications in materials science, structural engineering, molecular biology, polymer chemistry, biomimetics and biomaterials, chemical chromatography, thermal chemistry, food chemistry, applied physics, mathematics, computer modelling and even archaeology. On the purely biological and apicultural side of the coin, there have many major areas of growth in nestmate recognition, social biology, toxicology, pheromones, biomechanics, biochemistry, endocrinology, behavioural ecology, olfactory physiology, evolutionary genetics and chemical ecology to cite a few.

Over the past 25 years studies have been conducted on wax synthesis and secretion in honeybees to identify specific cellular sites for the origin of hydrocarbons and fatty acids within the wax gland complex, and to establish the necessary ultrastructural correlates of this activity and of their transport. These include age-related changes in the composition of hydrocarbons and fatty acids in the epidermal cells, adipocytes and oenocytes. Similarly, with ever-more sophisticated instrumentation, there have been considerable refinements in the wax chemistry and characteristics of different honeybee species and races, their chemometric classification and analyses of the weighted frequency distributions in their carbon chain length variations. There have been major gains in our understanding of the material properties of beeswaxes, their tensile properties, crystal texture and crystallites and wax proteins. We know that honeybee silk is a α -helical protein, how it behaves at different temperatures, the effects of solvents on silk, its relative crystallinity and molecular dynamics as well as the genetic basis of the honeybee α -helical fibroin. Chemical differences between scale and comb wax have been determined and how these change in the conversion of newly secreted wax scales into comb.

Of perhaps equal importance is the previously catalogued literature on the Asian species of honeybees which has remained virtually unknown, otherwise untouched and never synthesised. It is apparent from a recent bibliography (Hepburn and Hepburn 2011) that, of some 4,000-odd publications on the Asian species of honeybees, there are several hundred publications dealing with the waxes and silk of these species. All of this hitherto unutilized material has now been analysed and incorporated, where appropriate, in this new text. It should be noted that references to Asian honeybees were sought from the Zoological Record (1864–2003), Apicultural Abstracts (1950–2004) and from Google ScholarTM (2005–2009). However, 95 % of this literature is post-WWII and much of it is now

available through Google Scholar™. Of interest here is a smallish group of papers on the analytical chemistry and physical constants of beeswax, nest site selection and beekeeping trade in beeswax.

The precursor of the present text, *Honeybees and Wax: An Experimental Natural History*, has not been entirely abandoned. Most of the chronological–historical chapters and paragraphs have been greatly edited, compressed, amended and retained. One will still find ‘old references’ (in fact very, very old) in this new book, which usually means references which only few computer-literate biologists can readily find or even bother to try. Nonetheless, one still encounters comments/queries from journals’ referees and even editors as to why such an *old* reference has been cited. The answer here is very basic: we believe in the tradition of ‘primacy of discovery’. This tradition has been falling by the wayside and there are particularly egregious examples of ignorance, or worse, incestuous self-aggrandisement in not citing the discoveries of those who came before us.

As an example, Jan Dzierżoń, who discovered parthenogenesis in honeybees and published his observations in 1845, is rarely cited, as a perusal of the literature on parthenogenesis in honeybees over the past 20 years readily confirm. A historical exception is that of François Huber (1814) whose treatise *Nouvelles Observations sur les Abeilles* remains a remarkably modern work. Similarly, the works of Dönhoff and Schirach remain primary source papers. By the same token, a list of Nobel laureates shows individual awards in physics, chemistry and physiology from 1901 until the end of WWII. Only then do we see ‘multiple independent, discovery’ awards to scientists who made discoveries working independently of each other, which in contemporary science, has become the norm (Merton 1973). The history of discoveries in apicultural science is yet to reach the ‘multiple, independent discovery’ phase. So we invoke the title of the famous 1897 painting of Paul Gauguin: *D’où Venons Nous/Que Sommes Nous/Où Allons Nous*, questions that are just as fundamental to human existence as to the course of science.

Another difference between the old *Honeybees and Wax* and the present volume is that the current text chapters include references and thus stand alone as journal review papers. This is to accommodate the distribution of electronic copies of individual chapters by the publisher. Readers of the complete text will note that several figures are used in more than one chapter. This occasional duplication arises because such figures are used in different arguments in each particular case.

The production of this volume would not have been possible without the quite considerable kindness of several people who have provided new information, references or reviewed various chapters in manuscript form:

Tara Sutherland (Canberra), Eileen Sheppard (Grahamstown), Anne Dufay (Sophia-Antipolis), Scott Camazine (Boalsburg), Mingxian Yang (Ya’an), Preecha Rod-im (Chom Bueng), Bhushan Karihaloo (Cardiff), Jürgen Tautz (Würzburg). On a personal note (C. W. W. Pirk), I like to thank my parents, Christel and Hartmut Pirk and my wife Catherine Sole for their support of my scientific endeavours.

We acknowledge permission of the publishers to use previously published figures from their journals. We owe a large debt of gratitude for years of financial support to the Council of Rhodes University (HRH), the Council of the University of Pretoria (CWWP), the National Research University Project of Thailand's Office of the Higher Education Commission and Thailand Research Fund (OD).

Finally, we owe an extraordinary debt of gratitude to Colleen Hepburn (Nelspruit) for reviewing the complete manuscript several times, and for her finely honed editorial skills and knowledge of the English language which certainly prevented this text from containing some abysmal errors.

Nelspruit, South Africa
Pretoria, South Africa
Bangkok, Thailand

H. R. Hepburn
C. W. W. Pirk
O. Duangphakdee

Contents

1	General Introduction	1
1.1	The Origin of Beeswax	2
1.2	Nests and Nesting.	2
1.3	Self-Organization of Nest Contents.	3
1.4	Interspecific Utilisation of Beeswax	3
1.5	Communication of Vibrations and Scents	4
1.6	Wax Secretion, Comb Construction and the Queen.	4
1.7	The Significance of Brood.	5
1.8	The Role of Pollen in Comb Construction.	6
1.9	Nectar Flows and Comb-Building.	6
1.10	Construction of Combs	7
1.11	Energetics of Honey/Beeswax Conversion.	8
1.12	Construction of Cells	9
1.13	Conversion of Scale Wax into Combs.	10
1.14	Material Properties of Scale and Comb Wax	10
1.15	The Wax Gland Complex	11
1.16	The Chemistry of Beeswax	12
1.17	Synthesis of Beeswax	12
1.18	Material Properties of Honeybee Silk	13
	References	14
2	Nesting: Sites, Space and Density in Comb-Building	17
2.1	Introduction	17
2.2	Nesting Sites	18
2.2.1	The Dwarf Honeybees.	18
2.2.2	The Cavity-Nesting Honeybees	19
2.2.3	The Giant Honeybees	20
2.3	Nest Cavities	22
2.4	Colony Space and Density.	24
2.4.1	Arrangement of Space.	24
2.4.2	Density Versus Space	26

- 2.4.3 Reduction of Nest Size 28
- 2.4.4 Other Qualities of “Space” 30
- 2.5 Seasonality, Space and Density 32
- References 34

- 3 Self-Organization of Nest Contents 41**
- 3.1 Introduction 41
- 3.2 Pattern Formation in Combs 43
 - 3.2.1 Reaction–Diffusion Systems Pattern Formation 43
 - 3.2.2 Template Effects?. 46
 - 3.2.3 Recent Models 47
- 3.3 Developmental Cycles of *Apis florea* Nests 50
- References 54

- 4 Intraspecific and Interspecific Comb-Building 57**
- 4.1 Introduction 57
- 4.2 Intraspecific Comb Wax Salvage 58
- 4.3 Interspecific Wax Salvage 60
- 4.4 Interspecific Wax Discrimination 62
- 4.5 Comb-Building in Mixed-Species Colonies 66
 - 4.5.1 Organisation of Mixed-Species Colonies
and Wax Foundation. 66
 - 4.5.2 Cell-Size and Wax Discrimination 67
 - 4.5.3 Cell-Size Modification of Foundation Sheets 67
 - 4.5.4 Freely-Built Combs. 69
 - 4.5.5 Utilisation of the Newly Built Combs. 73
 - 4.5.6 General Comb-Building. 73
 - 4.5.7 Comb-Building in Mixed-Species Colonies 74
- References 75

- 5 Communication by Vibrations and Scents in the Comb 79**
- 5.1 Introduction 79
- 5.2 Vibrations 81
 - 5.2.1 Queen Honeybees. 82
 - 5.2.2 Worker Vibrations 85
- 5.3 Scents 93
 - 5.3.1 Waggle Dance Scent-marking: Probable Cause?. 94
 - 5.3.2 Comb and Scents 95
 - 5.3.3 Capping Brood Cells. 97
- References 101

- 6 Wax Secretion, Comb Construction and the Queen 105**
- 6.1 Introduction 105
- 6.2 The Queen: A Necessary Stimulus for Comb-Building? 107

6.3	Comb-Building Experiments by Whiffler and Hepburn (1991a)	108
6.3.1	Queenright and Queenless Colonies	108
6.3.2	Free-Running and Confined Queens	110
6.3.3	Division Board Experiments	110
6.3.4	General Conclusions from the Experiments of Whiffler and Hepburn (1991a, b)	114
6.4	Comb-Building Experiments of Ledoux et al. (2001)	116
6.5	Perception of Queenrightness	117
6.6	Comb-Building Experiments of Maisonnasse et al. (2010).	122
6.7	The Construction of Queen Cells	123
	References	127
7	The Significance of Brood	131
7.1	Introduction	131
7.2	Parthenogenesis	132
7.3	Oviposition by Queens	133
7.4	The Meaning of Brood	134
7.5	Efficacy of Open Brood	137
7.6	Drone Brood	140
7.7	Brood-Rearing and Honey Storage	141
	References	142
8	The Role of Pollen in Honeybee Colonies	145
8.1	Pollen and Brood	145
8.2	Pollen and Wax Production	149
8.3	Physical Presence and Regulation of Pollen in the Colony	153
8.4	Pollen Pheromones	157
8.5	Pattern and Function of Pollen Cells	160
8.6	Cell Allocation	162
	References	170
9	Nectar Flows and Comb-Building	175
9.1	Introduction	175
9.2	Temperate Zone Spring as a Stimulus	177
9.3	Tropical Areas: Environmental-Based Construction	179
9.4	Nectar, the Unqualified Stimulus for Comb Construction	183
9.4.1	Hoarding Assays	185
9.4.2	The Honey Stomach	189
9.5	Decision-Making and Regulation of Comb-Building	189
9.6	Who are the Comb Builders?	192
9.7	Nectar Intake and Comb Fullness	197
9.8	Termination of the Stimulus	199
	References	203

10	Construction of Combs	207
	10.1 Introduction	207
	10.2 Parallelism Between Combs.	208
	10.3 Festoons and Torsion	209
	10.4 Festoons and Comb Growth.	213
	10.5 Evidence of a Sense of Equilibrium	215
	10.6 Application of the Sense of Equilibrium	217
	10.7 The Orientation of Combs	219
	10.8 Behavioural Aspects of Comb Construction.	220
	References	220
11	Energetics of Honey/Beeswax Conversion	223
	11.1 Introduction	223
	11.2 Cumulative Ratios	225
	11.3 Measures of Conversion Efficiency.	230
	11.4 Temperature and Wax Production.	235
	References	235
12	Construction of Cells	237
	12.1 Introduction	237
	12.2 Manipulation of Wax Scales	238
	12.3 Comb Operations	238
	12.4 Inception of the Nest	241
	12.5 Recognition of Cell Patterns	248
	12.6 Assessment of Cell Size	250
	12.7 The Cell Base: Changing from Rhombus to Hemisphere.	254
	References	256
13	Conversion of Wax Scales into Comb Wax	259
	13.1 Introduction	259
	13.2 Wax Scales	261
	13.3 Chemical Differences Between Scale and Comb Wax.	261
	13.4 Maturation of Newly Constructed Combs	262
	13.5 Wax Scales	266
	13.6 Unnatural Building Materials.	267
	References	269
14	Material Properties of Scale and Comb Wax.	273
	14.1 Introduction	273
	14.2 Temperature Effects	274
	14.3 Crystal Changes	277
	14.4 Tensile Properties	280
	14.5 Crystal Texture	285
	14.6 Wax Proteins	285

14.7	α -Helical Silk	287
14.8	Optical Studies	288
14.9	X-ray Diffraction Studies	289
14.10	Crystallites of Beeswax	291
14.11	Origins of Crystallites in Beeswax	295
	References	296
15	The Wax Gland Complex	301
15.1	Introduction	301
15.2	Source of Secretion	305
15.2.1	The Cuticle	305
15.2.2	The Epidermis	307
15.2.3	Fat Body and Oenocytes	309
15.2.4	Synchronising Cellular Activity	311
15.2.5	Ultrastructure of the Organelles of Wax Gland Cells	313
	References	317
16	The Chemistry of Beeswax	319
16.1	Introduction	319
16.2	Chemical Composition	320
16.3	Chemometrics	323
16.3.1	Chemometric Classification of Beeswaxes	325
16.3.2	Discrimination and Classification of Beeswaxes	330
16.4	The Proteins of Beeswax	334
16.5	Plant-Derived Aromatic Volatiles and Colourants in Beeswax	335
	References	337
17	Synthesis of Beeswax	341
17.1	Introduction: Proof of Beeswax Synthesis	341
17.1.1	François Huber (1814)	342
17.1.2	The Chemists: Dumas and Edwards (1843)	343
17.2	Routes of Synthesis	344
17.3	Biochemical Investigations on Beeswax Synthesis	344
17.3.1	Hypothetical Scheme for Beeswax Synthesis	344
17.3.2	Monoester Synthesis	347
17.3.3	Cuticular and Comb Waxes	348
17.4	Cellular Basis of Synthesis	351
17.4.1	Chemical Composition and the Ages of Worker Bees	353
17.5	Secretion of Beeswax	355
	References	362

18	Material Properties of Honeybee Silk	367
18.1	Introduction	367
18.2	Honeybee Silk: An α -Helical Protein	369
18.3	Behaviour of Silk at Different Temperatures	371
18.4	Relative Crystallinity	372
18.5	Solvent Effects on Silk	373
18.6	Honeybee Silk: An α -Helical Silk and a Coiled-Coil Protein	375
18.7	Molecular Dynamics of α -Helical Proteins.	377
18.8	Genetic Basis of Honeybee α -Helical Fibroin.	379
	References	380
	Index	383